## Claims

- 1. A method for manufacturing garments having a vintage appearance, said method comprising:
  forming a plurality of panels of fabric of a garment;
  printing a pattern using a chemical on at least one panel of fabric, the chemical being utilized to produce the garment with the vintage appearance; and constructing the garment utilizing the plurality of panels, the plurality of panels including the at least one chemical printed panel.
- [c2] 2. The method according to claim 1, wherein the garment includes at least one of the following: pants, shirt, and jacket.
- [c3] 3. The method according to claim 1, wherein the chemical includes a color remover.
  - 4. The method according to claim 1, wherein the chemical includes a color remover inhibitor.
  - 5. The method according to claim 1, wherein the chemical includes a color penetration inhibitor.
  - 6. The method according to claim 1, wherein said printing is performed on an individual panel basis.
  - 7. The method according to claim 1, wherein the plurality of panels of fabric are pre-dyed.
- [c8] 8. The method according to claim 1, wherein the vintage appearance includes at least one of the following: faded, weathered, used, worn, and whiskered.
- [c9] 9. The method according to claim 1, wherein the chemical includes at least one of the plurality of chemicals operable to produce a reaction to remove color from the fabric.
- [c10] 10. The method according to claim 1, further comprising post-processing the constructed garment to alter the fabric.

[c7]

remover.

[c19]

	[c20]	20. The method according to claim 18, wherein the chemical includes a color remover inhibitor.
	[c21]	21. The method according to claim 18, wherein the chemical includes a color penetration inhibitor.
	[c22]	22. The method according to claim 18, wherein the used appearance includes at least one of the following: fading, weathering, wearing, and whiskering.
	[c23]	23. The method according to claim 18, wherein the chemical includes at least one of a plurality of chemicals operable to produce a reaction to remove color from the garment panel.
	[c24]	24. The method according to claim 18, further comprising utilizing a post- printing process on the garment to alter the coloration of the garment panel.
	[c25]	25. The method according to claim 18, further comprising receiving a graphical design of the used appearance to substantially replicate in said printing.
	[c26]	26. A system for manufacturing a garment having a used appearance, said method comprising: means for receiving a garment panel prior to being assembled into the garment; means for printing a chemical in a predetermined pattern on the garment panel, the chemical operable to alter coloration of the garment panel; and means for assembling the garment with at least one printed garment panel.
	[c27]	27. A system for producing a garment having a used appearance, said system comprising: a printing press configured to print a chemical on fabric to produce a predetermined pattern indicative of the used appearance.
	[c28]	28. The system according to claim 27, wherein said printing press utilizes a plate to print the chemical.
	[c29]	29. The system according to claim 27, wherein said printing press utilizes a roller to print the chemical.
	[c30]	30. The system according to claim 27, wherein said printing press utilizes a

31. The system according to claim 27, wherein the chemical includes a color

screen to print the chemical.

remover.

[c31]

stored on at least one of an electronic and non-electronic medium.

40. The method according to claim 35, wherein the graphical representation is

[c40]

- [c41] 41. The method according to claim 35, wherein the garment includes at least one of the following: pants, shirt, jacket, hat, and socks.
- [c42] 42. The method according to claim 35, wherein the graphical representation is at least one of a positive and negative representation.
- [c43] 43. The method according to claim 35, wherein said generating includes at least one of the following: drawing, photographing, and illustrating.
- [c44] 44. The method according to claim 35, further comprising distributing the vintage garments.
- [c45] 45. The method according to claim 35, wherein the graphical representation is operable to be utilized for multiple sizes of the vintage garment.
- [c46] 46. A system for procuring garments having a used appearance, said system comprising:

  means for generating a graphical representation illustrative of at least one panel of a garment having a used appearance;

  means for providing the graphical representation to a manufacturer of garments for producing the garment defined by the graphical representation using a chemical printing process; and means for tendering payment for production of the garment.
  - 47. A method for designing a vintage garment, said method comprising: generating a graphical representation of at least one panel of a garment having a used appearance, the graphical representation having dimensions operable to be utilized in producing at least one garment size by the graphical representation, and a derivative of the graphical representation being utilized on a printer to print a chemical on the at least one panel of the garment.
- [c48] 48. The method according to claim 47, wherein the graphical representation is stored on an electronic or non-electronic medium.
- [c49] 49. The method according to claim 47, wherein the graphical representation is produced by a photograph for an existing garment.

[c53] British British

- 50. The method according to claim 47, wherein the generating of the graphical [c50] representation includes producing at least one of a positive or negative representation of the used appearance.
- 51. The method according to claim 37, wherein the used appearance includes at [c51]least one of the following characteristics: worn, faded, weathered, creased, and whiskered.
- 52. A system for designing a vintage garment, said system comprising: [c52]means for generating a graphical representation of at least one panel of a garment having a vintage appearance, the graphical representation having dimensions operable to be utilized in producing at least one garment size by the graphical representation, and a derivative of the graphical representation being utilized on a printer to print a chemical on the at least one panel of the garment; and means for outputting the graphical representation onto a tangible medium.

- 53. A system for procuring a vintage garment, said system comprising: a computing system including a processor coupled to a storage device, the computing system further coupled to a control device and display, the processor executing software operable by an operator utilizing the control device and display to generate a graphical representation of at least one panel of a garment having a vintage appearance and print the graphical representation utilizing a printing process, the graphical representation being stored by the storage device.
- 54. The system according to claim 53, wherein the operator is a garment [c54]designer.
- 55. The system according to claim 53, wherein the control device is a computer [c55] mouse.
- 56. The system according to claim 53, further comprising an input device [c56] coupled to said computer system.
- [c57]57. The system according to claim 56, wherein a said input device includes at

	least one of a digital camera and a scanner.
[c58]	58. The system according to claim 53, wherein said computing system is coupled to a network for communicating the graphical representation to a second computing system operating on the network.
[c59]	59. The system according to claim 58, wherein the network is the Internet.
[c60]	60. The system according to claim 53, further comprising a database located on the storage device for storing the graphical representation.
[c61]	61. A method for manufacturing fabric having a vintage appearance, said method comprising:
	forming an element having a pattern of the vintage appearance, the element operable to be utilized in a printing process; and
	printing a chemical on the fabric utilizing the element, the chemical being
(C62)	utilized to produce the fabric with the vintage appearance.
[c62]	62. The method according to claim 61, wherein the element includes at least
	one of a plate and roller.
[c63]	63. The method according to claim 61, wherein the element is a screen.
[c63]	64. The method according to claim 61, further comprising forming the fabric having the vintage appearance into a garment.
[c65]	65. The method according to claim 61, wherein the chemical includes at least one of the following: a color remover, color remover inhibitor, and color penetration inhibitor.
[c66]	66. The method according to claim 61, wherein the printing process is a continuous printing process.
[c67]	67. The method according to claim 61, further comprising cutting the fabric.
[c68]	68. The method according to claim 67, further comprising printing and aligning registration marks.
[c69]	69. A fabric formed by a method comprising:

m
10 47
Section 1
100
M
11.3

[c73]

forming an element having a pattern of the vintage appearance, the element operable to be utilized in a printing process; and printing a chemical on the fabric utilizing the element, the chemical being utilized to produce the fabric with the vintage appearance.

- [c70] 70. The method according to claim 69, wherein the element includes at least one of a plate and roller.
- [c71] 71. The method according to claim 69, wherein the element is a screen.
- [c72] 72. The fabric according to claim 69, wherein the fabric includes a plurality of patterns having a vintage appearance being substantially the same.
  - 73. A garment formed by a method comprising:
    forming an element having a pattern of the vintage appearance, the element
    operable to be utilized in a printing process;
    printing a chemical on the fabric utilizing the element, the chemical being
    utilized to produce the fabric with the vintage appearance;
    cutting the fabric to form at least one panel; and
    coupling the at least one panel.
    - 74. The method according to claim 73, wherein the element includes at least one of a plate and roller.
  - 75. The method according to claim 73, wherein the element is a screen.
- [c76] 76. The garment according to claim 73, further comprising: printing at least one registration mark indicative of alignment locations.

[c77]

[c74]

[c75]